

DERWENT-ACC-NO: 2002-242133  
DERWENT-WEEK: 200230  
COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Access network handover in communication system, has  
logical interface  
which assigns IP address corresponding to communication,  
based on change of  
access between physical interfaces

INVENTOR: JOKELA, P; MELEN, B

PATENT-ASSIGNEE: TELEFONAKTIEBOLAGET ERICSSON L M [TELF]

PRIORITY-DATA:

2000AU-0007175 (April 28, 2000)  
, 2000AU-0006827 (April 11, 2000)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES	MAIN-IPC	
AU 200135071 A	October 18, 2001	N/A
018	H04L 029/08	

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
AU 200135071A	N/A	2001AU-0035071
April 9, 2001		

INT-CL (IPC): H04L029/08; H04Q007/20  
ABSTRACTED-PUB-NO: AU 200135071A

BASIC-ABSTRACT:

NOVELTY - A mobile IP layer supports an IP functionality  
which establishes a  
communication between a mobile node and the physical  
interface layers of  
respective access network to be switched-over. A logic  
interface interposed  
between the IP and physical interface layers, assigns an IP  
address  
corresponding to the communication, based on the change of  
access between the

physical interfaces (IF1,IF2).

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for method of assigning an IP address in a communication system.

USE - Access network handover from mobile UMTS network to WLAN or vice-versa, also for networks such as GSM, Bluetooth, LAN, internet, etc., in telecommunication network.

ADVANTAGE - Enables load sharing between different interfaces and seamless soft handover between the physical interfaces, as data packet loss is prevented by including IP address.

DESCRIPTION OF DRAWING(S) - The figure shows an access network handover in communication system.

Interfaces IF1,IF2

CHOSEN-DRAWING: Dwg.2/2

DERWENT-CLASS: W01 W02

EPI-CODES: W01-B05A1A; W02-C03C1A; W02-C03C1D;

